

## Tech Rider Group A`Studio 2012

### **1. GENERAL**

All equipment must be set-up **an hour** before sound-check. All sound equipment, including PA, must be **earthed**. Light and sound equipment must be powered **separately**.

### **2. P.A.**

Good Quality 3-4 Way **Line Array** speaker system with subbass, **including in-fill systems**. Sound Pressure on F.O.H. Desk position not less 118 dB without distortion.  
**V-DOSC, JBL Vertec, EAW, EV, MARTIN, NEXO.**

### **3. F.O.H. CONTROL:**

1x 32/8/2 VCA full parametric mixing desk -  
**Midas or Yamaha PM or m7cl or Soundcraft Series Five**  
2x Channels Graphic EQ  
1x CD Player;  
1x MD Player;  
1x Talkback Microphone with on/off switch;

### **4. F.O.H. EFFECT RACK:**

1x TC 5000/3000;  
1x Tap Delay TC 2290 or Roland SDE3000;

### **5. F.O.H. INSERT RACK:**

5x Channels of Noise Gates - Drawmer or dbx  
4x Channel of Compressor - Drawmer or dbx (instrumental)  
2ch dbx160A (MAIN VOCALS);

### **6. ON STAGE WEDGES & DRUMFILLS:**

6x Bi-Amp Wedges MARTIN LE-700 , EAW SM-400 or similar  
1x Drumfill 1x18"+1x15"(or 2x12")+1x2"

## Tech Rider Group A`Studio 2012

**Keyboard:** CLAVIA Nord Electro 2 or CLAVIA Nord Electro 3 or Nord Stage or Roland RD-700 or RD-300 GX , sustain pedal !!!

- 2 1/4 " Instrument Cable
- 2 DI Box for Keys
- 1 1-tier keyboard stand
- 1 chair - hi
- 2 European electric plugs adapter (220 V x 16 A);

### **Guitar 1:**

- 1x guitars combo customer - FENDER TWIN REVERB
- 5 1/4 " Instrument Cable
- 2 DI Box for guit
- 3 European electric plugs adapter (220 V x 16 A);

### **Guitar 2:**

- 2x guitars combo customer - FENDER TWIN REVERB
- 1 1/4 " Instrument Cable
- 2 DI Box for guit
- 3 European electric plugs adapter (220 V x 16 A);

### **Bass:**

- ebs neo-410 speaker
- ebs fafner or td-650 amp

### **or:**

- Eden World Tour 800 Bass Amplifier
- Eden 410 XLT Speaker Cabinet

### **or:**

- Ampeg SVT-5PRO or SVT-4PRO Bass Amplifier
- Ampeg SVT 410HLF or 410HE Speaker Cabinet
- 1 stand for laptop
- 3 European electric plugs adapter (220 V x 16 A);

### **Drums:**

- Yamaha or Pearl or Mapex
  - 21" Kick
  - 14"x 5" Brass Snare
  - 12" Rack Tom1
  - 14" Rack Tom2
  - and 16" Floor Toms
  - 5x Boom Stands
  - 1x Snare Stands
  - HiHat Stand
  - Tama 1<sup>st</sup> Chair
  - 1 1/4 " Instrument Cable 5 meters
  - AUX from F.O.H. aux6 XLR
  - 2 European electric plugs adapter (220 V x 16 A);
- Carpet under Drum set

### **Microphones:**

- 2x Shure Beta 58 for back voc – mic stands


### **Main Vocal:**

- In Ear wireless system ( pers.equipment group a`studio ) XLR in AUX 7 on F.O.H.
- Mic. wireless system ( pers.equipment group a`studio) XLR setup on F.O.H.
- Spare mic UHF 87 Beta

# Tech Rider Group A`Studio 2012

## Stage plan

back



L

front

R

## Tech Rider Group A`Studio 2012

N	INSTRUMENT	VCA GROUP	MIC/DI	INSERT
1	KICK	1vca	B 52	GATE + COMP
2	KICK	1vca	Beta 91	GATE + COMP
3	SNARE TOP	1vca	SM 57	COMP
4	H-H	1vca	SM 81	
5	TOM 1	1vca	SM 98/ e 604	GATE
6	TOM 2	1vca	SM 98/ e 604	GATE
7	TOM 3	1vca	SM 98/ e 604	GATE
8	OH L	1vca	AT 4050	
9	OH R	1vca	AT 4050	
10	BASS GUIT LINE	2vca	DI	COMP
11	KEYBOARD-L	3vca	DI	
12	KEYBOARD-R	3vca	DI	
13	GUITAR EL.1 L	4vca	DI	
14	GUITAR EL.1 R	4vca	DI	
15	GUITAR EL.2		DI	
16	GUITAR ACOUSTIC.2		DI	
17	<b><u>MAIN VOC KETY</u></b>			COMP
18	VOC SPARE		UHF 58 Beta	COMP
19	HD-1-L (laptop)		DI	
20	HD-1-R (laptop)		DI	
21	HD-2-L (laptop)		DI	
22	BACK VOC BORIS		SM 58 BETA	
23	BACK VOC VLADIMIR		SM 58 BETA	
24	MD			
25	MD			
26	CD			
27	CD			
St1	RETURN 5000 , 3000	5vca		
St2	RETURN DELAY	5vca		

On the arisen questions the request to telef.to sound dir +7 964 790 2487    zvukar@yandex.ru